

SCOTTISH ENVIRONMENT PROTECTION AGENCY  
CONTROL OF POLLUTION ACT 1974, SECTION 36(1)(a)  
NOTICE OF APPLICATION FOR CONSENT IN PURSUANCE  
OF SECTION 34

NOTICE is hereby given, in accordance with Section 36(1)(a) of the Control of Pollution Act 1974 as amended, that application has been made to the Scottish Environment Protection Agency by the North of Scotland Water Authority for consent to discharge the following:-

- \* Ref. No T/B10/076/97(00) - 700 cubic metres per day of sewage effluent to Loch Dunvegan at National Grid Reference NG 2449 4858 from proposed Dunvegan Sewage Treatment Works, Dunvegan, Isle of Skye.
- \* Ref No T/B10/077/97(00) - An unspecified amount of screened sewage effluent to the Abhainn An Loin Mhoir at National Grid Reference NG 2542 4722 from the Emergency Overflow at Pumping Station No 1, Mill Road, Dunvegan, Isle of Skye.
- \* Ref No T/B10/078/97(00) - An unspecified amount of screened sewage effluent to Loch Dunvegan at National Grid Reference NG 2524 4751 from the Emergency Overflow at Pumping Station No 2, Toilet Car Park, Dunvegan Road, Dunvegan, Isle of Skye.
- \* Ref No T/B10/079/97(00) - An unspecified amount of screened sewage effluent to Loch Dunvegan at National Grid Reference NG 2504 4778 from the Emergency Overflow at Pumping Station No 3, Castle Court, Dunvegan, Isle of Skye.
- \* Ref No I/B10/092/97(00) - An unspecified amount of screened sewage effluent to the Abhainn A Chaistell at National Grid Reference NG 2478 4909 from the Emergency Overflow at Pumping Station No 4, Dunvegan Castle, Dunvegan, Isle of Skye.

Any person who wishes to make representations regarding the above applications should do so in writing to be received by the Scottish Environment Protection Agency, Carr's Corner, Lochybridge, Fort William, PH33 6TQ not later than 18th November 1997 quoting the relevant reference numbers above. Representations received by the above date will be made available to the public on request unless clearly marked as confidential.

A copy of the above applications may be inspected free of charge at Dunvegan Post Office and at SEPAs office at Carr's Corner, Lochybridge, Fort William at all reasonable hours.

*Tom Inglis*  
Divisional Manager

Scottish Environment Protection Agency  
Fort William Office  
Carr's Corner  
Lochybridge  
Fort William PH33 6TQ  
25th September 1997

(2)

effluent to the River Doon at National Grid Reference NS 3312 1831 from an emergency overflow serving a sewage pumping station at a proposed Cala Homes development, Cambusdoon Cricket Club, Alloway. It should be noted that a discharge of sewage effluent will only occur in the event of a complete breakdown of the sewage pumping station.

Any person who wishes to make representations about the application should do so in writing to the Scottish Environment Protection Agency, SEPA West, 5 Redwood Crescent, Peel Park, East Kilbride, G74 5PP, not later than 18th November 1997, quoting D6829.

A copy of the application may be inspected free of charge at the above offices of the Agency and at the District Office at 2 Alloway Place, Ayr, at all reasonable hours.

*John M Beveridge*  
Director - West Region

25th September 1997

(14)

ABERDEEN CITY COUNCIL

THE ABERDEEN CITY COUNCIL  
(ON-STREET PARKING PLACES) ORDER 1997

ABERDEEN CITY COUNCIL has made "The Aberdeen City Council (On-Street Parking Places) Order, 1997", under the Road Traffic Regulation Act 1984.

The effect of the Order is as stated in *The Press and Journal* and also *The Edinburgh Gazette* of 5th August 1997; namely, to restate all the existing on-street 'pay and display' arrangements currently in force in Aberdeen, but to vary charging and time-limitation requirements (as stated below). The Order comes into operation on Monday, 6th October 1997.

The new charge for the streets named in the first schedule hereto (instead of 70p up to one hour and £1.40 for one to two hours - two hours maximum stay) is *£1.00p for a maximum stay of one hour*.

The new charges for the streets named in the second schedule hereto (instead of 70p up to one hour and £1.40p for one to two hours - two hours maximum stay) are *80p up to one hour and £1.60p for one to two hours (two hours maximum stay)*.

The new charges for the streets named in the third schedule hereto (instead of 40p for two hours and 70p for two to three hours - three hours maximum stay) are *50p for two hours and 80p for two to three hours (three hours maximum stay)*.

If a street appears in more than one schedule, this means that different "pay and display" arrangements will prevail in different parts of that street.

The cost of an excess charge will remain at £20.00 as before. Residents' exemption permits will continue to be available; the annual cost of these is still £20.00. Members of the public should note that, as before, a permit can only be used in relation to "pay and display" parking bays (not yellow lines) and only in the zone for which it was issued. Also, it will continue to be the case that only one permit per household will be permitted in central zones whereas a maximum of two per household will apply in peripheral zones. For information about these points, please telephone the number given below.

Contractors' daily tickets will also continue to be available at a cost of £5.00 per day for service engineers, builders, and other tradesmen engaged upon building works (or similar) at an address adjacent to "pay and display" bays in any length of road specified in the first and second schedules. This ticket will suspend the charging requirement, in respect of the contractor's vehicle, for the day in question.

SCOTTISH ENVIRONMENT PROTECTION AGENCY  
CONTROL OF POLLUTION ACT 1974, SECTION 36(1)(a)  
NOTICE OF APPLICATION FOR CONSENT IN PURSUANCE  
OF SECTION 34

NOTICE is hereby given, in accordance with Section 36(1)(a) of the Control of Pollution Act 1974, that an application has been made to the Scottish Environment Protection Agency by West of Scotland Water, 419 Balmore Road, Glasgow, G22 6NU, for consent to discharge a maximum of 6 litres per second of screened sewage