

Public Notices

WATER RESOURCES ACT AND DROUGHT ACT 1976

SEVERN-TRENT WATER AUTHORITY
WATER RESOURCES ACT 1963

WATER RESOURCES (LICENCES) REGULATIONS 1965
WATER ACT 1973
NOTICE OF PROPOSALS TO VARY LICENCES TO
ABSTRACT WATER

Notice is hereby given that the Severn-Trent Water Authority (hereinafter called 'the Authority') whose head office is at Abelson House, 2297 Coventry Road, Sheldon, Birmingham B26 3PU, has formulated proposals for varying its Licence, Serial Number 18/54/3/179/G which authorises abstraction from underground strata (Triassic Sandstones) at Kinsall, by means of a borehole at National Grid Reference SJ 3505 3248 in the County of Shropshire.

The proposed variation is to include the Authority's existing source at Rednal, at National Grid Reference S 3697 2873 in the Licence but with no overall change in the annual aggregate quantity to be abstracted at the two sources of 1,825,000 cubic metres. The variation will, however, allow increased abstraction at the Rednal source at rates not exceeding 1,800 cubic metres per day nor 657,000 cubic metres per year compared with existing rates of 1,398 cubic metres per day and 500,274 cubic metres per year.

Coincident with this variation, Licence No. 18/54/5/4814 which currently authorises abstraction at the Rednal source (together with other abandoned sources at Lyneal, Tetchill, Hordley & Cockshutt) will be revoked.

A copy of the proposals in the form of a draft variation of Licence No. 18/54/3/179/G and a copy of Licence No. 18/54/4/814 and of any maps, plans or other documents prepared in connection with them may be inspected by the public free of charge at the Authority's offices at the Shelton Waterworks, Shrewsbury, and at the Post Office in Whittington, near Oswestry SY11 4DF, at all reasonable hours during the period beginning on 9th March and ending on 11th April 1988, inclusive, but excluding the 1st to 5th April inclusive.

Any person who wishes to make representations about the proposals should do so in writing to the undersigned at the address below before the end of the said period. At the expiry of the said period, the Authority will be entitled to pass a resolution by virtue of which Licence No. 18/54/3/179/G shall be deemed to be varied and Licence No. 18/54/4/814 revoked unless the Secretary of State for the Environment, either in consequence of any representations made with respect to the proposals, or otherwise, requires an application for the variation to be made to him.

R. G. Sharp, Regional Manager, Technical Services, Severn-Trent Water Authority.

Abelson House,
2297 Coventry Road,
Sheldon, Birmingham B26 3PU.
24th February 1988. (722)

NOTICE OF APPLICATION FOR LICENCE TO ABSTRACT WATER

Notice is hereby given that an application is being made to the North West Water Authority by Kirkhouse Coal Co., Ltd., Kirkhouse, Brampton, Cumbria, for a licence to abstract the following quantities of water from an unnamed watercourse at the following point of abstraction: 15000 gallons per day at NY 565598 at Brampton. Further details of the application are: For Coal Washing Purposes.

A copy of the application and of any map, plan or other document submitted with it may be inspected free of charge at Kirkhouse, Coal Co., Ltd., Kirkhouse, Brampton, at all reasonable hours during the period beginning on 14th March 1988, and ending on 11th April 1988.

Any person who wishes to make representations about the application should do so in writing to North West Water Authority, Control & Regulation Section, New Town House, Buttermarket Street, Warrington before the end of the said period.

G. A. Wardle, Kirkhouse Coal Co., Ltd.
2nd March 1988. (742)

NOTICE OF APPLICATION TO VARY A LICENCE TO ABSTRACT WATER

Notice is hereby given that application is being made to Anglian Water by G. K. Bowd, Marshalls, Farm, Conquest Drove, Farcet Fen, Peterborough, Cambs, to vary the Licence, Serial Number

6/33/53/266/9. The variation applied for is to include additional land at Two Pole Drove, Farcet Fen, Peterborough and a further point of abstraction from the Kings Delph Drove Drain at NGR TL 212 945. This is within the area of the Whittlesey Internal Drainage Board. The water is required for spray irrigation of agricultural crops and there is no change in the quantities specified by the Licence.

A copy of the application and any map, plan, or other document to be submitted with it may be inspected free of charge at 11 Thorpe Road, Peterborough, at all reasonable hours during the period beginning on 9th March 1988, and ending on 6th April 1988.

Any person who wishes to make representations about the application should do so in writing to the General Manager, Cambridge Division, Great Ouse House, Clarendon Road, Cambridge, before the end of the said period.

G. K. Bowd
(743)

3rd March 1988.

CONTROL OF POLLUTION ACT

SOUTH WEST WATER AUTHORITY

CONTROL OF POLLUTION ACT 1974

Notice is hereby given in accordance with section 36(1)(a) of the Control of Pollution Act 1974, that application has been made to the Secretary of State by South West Water Authority for consent to discharge a daily maximum of 1,236 cubic metres of final treated sewage and less than once a year an unspecified amount of emergency sewage overflow to the River Teign at NGR SX 8478 7709 and SX 8465 7716 (emergency overflow) from Chudleigh Knighton Sewage Treatment Works. This application relates to the following discharges:

(a) Full Treated Effluent

The current consent for this Works allows a dry weather flow discharge of 136 cubic metres per day. This application relates to the increase in sewage flows resulting from the predicted population growth to the year 2011 when the estimated dry weather flow discharge will increase to approximately 206 cubic metres per day.

(b) Emergency Overflow

This is an existing overflow which only operates in times of power failure to the works or in times of extremely heavy rainfall. It is proposed to improve the aesthetic quality of any effluent discharged by the provision of a bar screen to remove large solids.

Any person who wishes to make representations regarding the application may do so in writing to the Secretary of State, Department of The Environment, Romney House, 43 Marsham Street, London SW1P 3PY, quoting ref 2158/151/SAH, by 20th April 1988.

The application may be inspected free of charge at the address shown below, at all reasonable hours.

South West Water,
Peninsula House,
Rydon Lane,
Exeter EX2 7HR. (721)

WELSH WATER AUTHORITY

CONTROL OF POLLUTION ACT 1974 SECTION 36(1) (a)

Notice of Application for Consent in Pursuance of section 34

Notice is hereby given, in accordance with section 36(1) (a) of the Control of Pollution Act 1974, that an application has been made to the Welsh Water Authority, by Westbury Homes (Holdings) Limited, for consent to discharge 48.4 Cubic Metres per day of Sewage effluent, to an un-named stream at NGR SO3251 0529 Penperlleni, Pontypool, Gwent, from an emergency overflow from the pumping station serving residential development at Capel-Ed Fields, Penperlleni, Pontypool, Gwent.

Any person who wishes to make representations about the application should do so in writing to Welsh Water Authority, Sluvad Treatment Works, Sluvad Road, Pontypool, Gwent NP4 0TA, not later than 19th April 1988, quoting AN 00616.02.

A copy of the application may be inspected free of charge at Welsh Water Authority, Sluvad Treatment Works, Sluvad Road, Pontypool, Gwent, at all reasonable hours.

N. C. Humphrey, Welsh Water Authority
29th February 1988. (723)