

Public Notices

WATER RESOURCES ACT

SEVERN-TRENT WATER AUTHORITY

Notice of application for licence to obstruct or impede the flow of an inland water by means of impounding works

Notice is hereby given that an application is being made to the Severn-Trent Water Authority by N. F. V. Carter & Son, of Middle Farm, Batchcote, Church Stretton, Shropshire SY6 6NP, for a licence to obstruct or impede the flow of a stream forming the headwaters of the Cound Brook at Batchcote in the Parish of Smethcote in the district of Shrewsbury and Atcham, by means of an earth impounding at NGR SO 433 987. The object of impounding water by means of the works is for firefighting and stock watering. The capacity of the reservoir at overflow level will be 22,000 cubic metres.

A copy of the application and of any map, plan or other document submitted with it may be inspected free of charge at Middle Farm, Batchcote, Church Stretton, Shropshire, at all reasonable hours during the period beginning on 19th December 1988 and ending on 16th January 1989.

Any person who wishes to make representations about the application should do so in writing to the Regional Manager, Technical Services, Severn-Trent Water Authority at Abelson House, 2297 Coventry Road, Sheldon, Birmingham B26 3PU, before the end of the said period.

C. F. Carter, on behalf of N. F. V. Carter & Son
13th December 1988. (739)

SEVERN-TRENT WATER AUTHORITY

Notice of application for licence to abstract water

Notice is hereby given that an application is being made to the Severn-Trent Water Authority by R. T. Bebb Ltd., of Lapley Wood Farm, Lapley, Stafford ST19 9ND, for a licence to abstract the following quantities of water from the Longnor/Whiston Brook at the following points of abstraction: 511 cubic metres per day and 12,274 cubic metres per year at any point between SJ 87751422 and SJ 87951430 east of Longnor Farm in the Parish of Lapley, Staffordshire. Further details of the application are: water required for spray irrigation during June, July, August each year.

A copy of the application and of any map, plan or other document submitted with it may be inspected free of charge at the above address at all reasonable hours during the period beginning on 2nd January 1989 and ending on 30th January 1989.

Any person who wishes to make representations about the application should do so in writing to the Regional Controller—Catchment Management, Severn-Trent Water Authority at Rivers and Regulation Division at Sapphire East, 550 Streetsbrook Road, Solihull B91 1BR, before the end of the said period.

I. R. Bebb, on behalf of R. T. Bebb Ltd.
12th December 1988. (738)

CONTROL OF POLLUTION ACT

ANGLIAN WATER AUTHORITY

Notice of application for consent in pursuance of section 34

Notice is hereby given, in accordance with section 36(1)(a) of the Control of Pollution Act 1974, that an application has been made to Anglian Water Authority by Messrs. Incarnern Ltd., for consent to discharge 30 cubic metres per day of treated sewage effluent to a tributary of the River Ant at NGR TG 3541 3200 within the North Norfolk District Council Area from Barrington Farm and "The Rookery", Rookery Farm Road, Walcott, Norfolk NR12 0PF.

Any person who wishes to make representations about the application should do so in writing to the Regional Manager (Environmental Regulation and Fisheries), Anglian Water, Aqua House, London Road, Peterborough PE2 8AG, not later than 31st January 1989, quoting ref: PR/E/N/F/327.

A copy of the application may be inspected free of charge at the offices of Messrs. Incarnern Ltd., "The Rookery", Rookery Farm Road, Walcott, Norfolk NR12 0PF.

J. A. Tetlow, Regional Manager (Environmental Regulation and Fisheries), on behalf of Anglian Water, NRA Unit.
25th November 1988. (745)

SEVERN-TRENT WATER AUTHORITY

CONTROL OF POLLUTION ACT 1974

Notice of application for consent in pursuance of section 34

Notice is hereby given in accordance with section 36(1)(a) of the above Act that an application has been made to Severn-Trent Water Authority by Ratcliffe Property Investments Ltd. for consent to discharge up to 10 cubic metres per day of treated sewage effluent to an unnamed tributary of River Blythe at National Grid ref. SP 2395 7953 from Berkswell Hall, Meriden Road, Berkswell.

Any person who wishes to make representations about the application should do so in writing to the Catchment Regulation Section, Severn-Trent Water Authority, Sapphire East, 550 Streetsbrook Road, Solihull B91 1QT, not later than 31st January 1989, quoting ref. CP/UT/1371.

A copy of the application may be inspected free of charge at all reasonable hours at Site Office, The Stables, Berkswell Hall, Meriden Road, Berkswell, and the Authority's office at Tame House, 156-170 Newhall Street, Birmingham.

A. C. Skinner, on behalf of Severn-Trent Water Authority
20th December 1988. (728)

SEVERN-TRENT WATER AUTHORITY

CONTROL OF POLLUTION ACT 1974

Notice of application for consent in pursuance of section 34

Notice is hereby given in accordance with section 36(1)(a) of the above Act that an application has been made to Severn-Trent Water Authority by Shell UK Oil Aviation for consent to discharge up to 18.2 cubic metres per day of trade effluent consisting of site drainage from the aviation gasoline storage area to the Low Brook at National Grid ref. SP 1795 8325 from Shell UK Oil, Fuel Farm Road, Birmingham Airport, Birmingham.

Any person who wishes to make representations about the application should do so in writing to the Catchment Regulation Section, Severn-Trent Water Authority, Sapphire East, 550 Streetsbrook Road, Solihull B91 1QT, not later than 31st January 1989 quoting ref. CP/UT/1391.

A copy of the application may be inspected free of charge at all reasonable hours at the Cargo Area, Main Entrance off Coventry Road and the Authority's offices at Abelson House, 2297 Coventry Road, Sheldon, Birmingham.

A. C. Skinner, on behalf of Severn-Trent Water Authority
20th December 1988. (726)

SEVERN-TRENT WATER AUTHORITY

CONTROL OF POLLUTION ACT 1974

Notice of application for consent in pursuance of section 34

Notice is hereby given in accordance with section 36(1)(a) of the above Act that an application has been made to Severn-Trent Water Authority by Southern Derbyshire Health Authority for consent to discharge sewage effluent from a storm sewage overflow to Repton Brook at National Grid ref. SK 3108 2317 from Bretby Hall Hospital and adjacent Old People's Home.

Any person who wishes to make representations about the application should do so in writing to the Catchment Regulation Section, Severn-Trent Water Authority, Sapphire East, 550 Streetsbrook Road, Solihull B91 1QT, not later than 31st January 1989, quoting ref. CP/LT/1359.